

中石化南京催化剂有限公司四月生产废水监测数据（自测）

监测日期	监测项目																	
	采样地点及监测编号名称			PH			总磷 (mg/L)			氨氮 (mg/L)			悬浮物 (mg/L)			TDS (mg/L)		
	污染物名称	PH	排放上限	是否达标	污染物浓度 (mg/L)	排放上限 (mg/L)	是否达标	污染物浓度 (mg/L)	排放上限 (mg/L)	是否达标	污染物浓度 (mg/L)	排放上限 (mg/L)	是否达标	污染物浓度 (mg/L)	排放上限 (mg/L)	是否达标	污染物浓度 (mg/L)	排放上限 (mg/L)
2023.4.1	进水口				271													
	WS-01-2016	7.4	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.2	进水口				/													
	WS-01-2016	7.4	6-9	是	0.8	≤5	是	4.5	≤45	是	86	≤400	是	2606	≤10000	是	182	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.3	进水口				623.8													
	WS-01-2016	8	6-9	是	2.1	≤5	是	6.2	≤45	是	67	≤400	是	3899	≤10000	是	420	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.4	进水口				/													
	WS-01-2016	7.4	6-9	是	1.2	≤5	是	9	≤45	是	83	≤400	是	3389	≤10000	是	202	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.5	进水口				183.7													
	WS-01-2016	7.5	6-9	是	1.7	≤5	是	19.1	≤45	是	88	≤400	是	2712	≤10000	是	233	≤500
	WS-01-2016	7.8	6-9	是	0.6	≤5	是	8.9	≤45	是	76	≤400	是	1981	≤10000	是	164	≤500
2023.4.6	进水口				149.8													
	WS-01-2016	7.4	6-9	是	未检出	≤5	是	5.5	≤45	是	94	≤400	是	1588	≤10000	是	154	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.7	进水口				288.6													
	WS-01-2016	11	6-9	是	未检出	≤5	是	5.5	≤45	是	94	≤400	是	1588	≤10000	是	154	≤500
	WS-01-2016	7.5	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.8	进水口				300.4													
	WS-01-2016	12	6-9	是	1.3	≤5	是	19.8	≤45	是	88	≤400	是	1412	≤10000	是	207	≤500
	WS-01-2016	7.6	6-9	是	1.2	≤5	是	8.9	≤45	是	90	≤400	是	1011	≤10000	是	167	≤500
2023.4.9	进水口				201.9													
	WS-01-2016	10.8	6-9	是	0.8	≤5	是	10.7	≤45	是	91	≤400	是	1109	≤10000	是	165	≤500
	WS-01-2016	7.5	6-9	是	1.7	≤5	是	6.3	≤45	是	61	≤400	是	2196	≤10000	是	164	≤500
2023.4.10	进水口				/													
	WS-01-2016	/	6-9	是	1.1	≤5	是	6.8	≤45	是	89	≤400	是	2039	≤10000	是	114	≤500
	WS-01-2016	7.4	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.11	进水口				424.6													
	WS-01-2016	12.2	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.12	进水口				372.9													
	WS-01-2016	12.4	6-9	是	0.6	≤5	是	17.1	≤45	是	83	≤400	是	2452	≤10000	是	224	≤500
	WS-01-2016	7.6	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500
2023.4.13	进水口				282.5													
	WS-01-2016	12.3	6-9	是	1	≤5	是	22.6	≤45	是	91	≤400	是	2936	≤10000	是	178	≤500
	WS-01-2016	7.6	6-9	是	0.4	≤5	是	9	≤45	是	89	≤400	是	2795	≤10000	是	152	≤500



2023. 4. 14	进水口				/											/			
	WS-01-2016	7.4	6-9	是	0.9	≤5	是	9.4	≤45	是	97	≤400	是	3074	≤10000	是	197	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 15	进水口	12.4			458.2											/			
	WS-01-2016	7	6-9	是	1.1	≤5	是	12.3	≤45	是	92	≤400	是	3533	≤10000	是	190	≤500	是
	WS-01-2016	7.2	6-9	是	0.7	≤5	是	11.3	≤45	是	91	≤400	是	3042	≤10000	是	134	≤500	是
2023. 4. 16	进水口	12.6			648.4											/			
	WS-01-2016	7.7	6-9	是	0.9	≤5	是	9.3	≤45	是	83	≤400	是	3037	≤10000	是	154	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 17	进水口	/			/											/			
	WS-01-2016	7.6	6-9	是	0.7	≤5	是	19.2	≤45	是	96	≤400	是	3251	≤10000	是	202	≤500	是
	WS-01-2016	7.5	6-9	是	1	≤5	是	11.1	≤45	是	86	≤400	是	2378	≤10000	是	154	≤500	是
2023. 4. 18	进水口	12			317.8											/			
	WS-01-2016	7.5	6-9	是	2.7	≤5	是	26.4	≤45	是	91	≤400	是	2118	≤10000	是	170	≤500	是
	WS-01-2016	7.4	6-9	是	2.1	≤5	是	18.7	≤45	是	67	≤400	是	2827	≤10000	是	173	≤500	是
2023. 4. 19	进水口	10.6			1420											/			
	WS-01-2016	7.3	6-9	是	1.3	≤5	是	24.8	≤45	是	86	≤400	是	3499	≤10000	是	179	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 20	进水口	/			/											/			
	WS-01-2016	7.3	6-9	是	1.5	≤5	是	14.1	≤45	是	80	≤400	是	2679	≤10000	是	143	≤500	是
	WS-01-2016	7.2	6-9	是	1.8	≤5	是	20.7	≤45	是	85	≤400	是	2137	≤10000	是	188	≤500	是
2023. 4. 21	进水口	11.1			632.7											/			
	WS-01-2016	7.3	6-9	是	2	≤5	是	3.4	≤45	是	96	≤400	是	1999	≤10000	是	204	≤500	是
	WS-01-2016	7.3	6-9	是	1.5	≤5	是	14	≤45	是	90	≤400	是	1659	≤10000	是	203	≤500	是
2023. 4. 22	进水口	/			/											/			
	WS-01-2016	7.4	6-9	是	1	≤5	是	5.6	≤45	是	94	≤400	是	1418	≤10000	是	193	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 23	进水口	11.3			425.6											/			
	WS-01-2016	7	6-9	是	1.8	≤5	是	11.1	≤45	是	81	≤400	是	850	≤10000	是	150	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 24	进水口	12			525.3											/			
	WS-01-2016	7.1	6-9	是	未检出	≤5	是	7.6	≤45	是	82	≤400	是	1530	≤10000	是	181	≤500	是
	WS-01-2016	7.1	6-9	是	0.8	≤5	是	14.2	≤45	是	86	≤400	是	900	≤10000	是	158	≤500	是
2023. 4. 25	进水口	12			311.7											/			
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
	WS-01-2016	/	6-9	是	/	≤5	是	/	≤45	是	/	≤400	是	/	≤10000	是	/	≤500	是
2023. 4. 26	进水口	/			/											/			
	WS-01-2016	7.3	6-9	是	0.8	≤5	是	14.4	≤45	是	86	≤400	是	1373	≤10000	是	153	≤500	是
	WS-01-2016	7.5	6-9	是	0.7	≤5	是	11.1	≤45	是	85	≤400	是	2188	≤10000	是	147	≤500	是
2023. 4. 27	进水口	/			/											/			
	WS-01-2016	7.4	6-9	是	0.8	≤5	是	9	≤45	是	83	≤400	是	1343	≤10000	是	149	≤500	是
	WS-01-2016	7.6	6-9	是	1	≤5	是	11	≤45	是	93	≤400	是	2330	≤10000	是	133	≤500	是
2023. 4. 28	进水口	11.6			406.5											/			
	WS-01-2016	7.6	6-9	是	2.5	≤5	是	14.4	≤45	是	78	≤400	是	3296	≤10000	是	209	≤500	是
	WS-01-2016	7.4	6-9	是	1.7	≤5	是	26.3	≤45	是	130	≤400	是	3842	≤10000	是	227	≤500	是
	进水口	11.5			402.2											/			



2023.4.29	WS-01-2016	1.3	6-9	是	2.2	≦5	是	7.4	≦45	是	76	≦400	是	2084	≦10000	是	288	≦500	是
	WS-01-2016	7.3	6-9	是	2.4	≦5	是	10.6	≦45	是	97	≦400	是	3937	≦10000	是	178	≦500	是
2023.4.30	进水口	/	/		/												/		
	WS-01-2016	1.3	6-9	是	/	≦5	是	/	≦45	是	/	≦400	是	/	≦10000	是	/	≦500	是
	WS-01-2016	/	6-9	是	/	≦5	是	/	≦45	是	/	≦400	是	/	≦10000	是	/	≦500	是

注：/表示无外排，WS-01-2016为污水接管口

